

Booking An Appointment

Appointments may be booked by either the practitioner or the patient, please have healthcare card and requisition form available.

Ph CGY: 403.212.5855

Toll-Free Ph: 1.877.420.4CDC (4232)

Fax CGY: 403.253.4669

Toll-Free Fax: 1.877.919.3291

Email: appointments@CanadaDiagnostics.ca

Online Requests: CanadaDiagnostics.ca

PLEASE BRING THIS REQUISITION FORM AND HEALTHCARE CARD TO YOUR EXAM

- Arrive 15 minutes prior to your exam unless notified otherwise
- Our clinics are scent free - Please refrain from the wearing of scented products
- Please bring an adult to supervise children under the age of 12

Exam Preparation

You may also visit prepare.CanadaDiagnostics.ca

ULTRASOUND

ABDOMEN

0-2 years:

Omit the last feeding (4 hours prior to exam).

2+ years:

Nothing to eat or drink after midnight prior to the examination. If necessary, a small glass of clear fluid may be given. It is best to book this exam as early in the morning as possible. No milk/milk products or carbonated beverages.

RENAL AND BLADDER OR PELVIS

0-2 years:

No preparation is required, however be prepared to spend time at the clinic as the ultrasound technologist may have to wait until the bladder fills to do the exam. A drink may be given on arrival by the ultrasound technologist.

2+ years:

Full bladder is required. Drink two glasses of water and/or apple juice (500 ml) 1 hour prior to exam. If the bladder is not full, the exam may need to be rescheduled.

COMBINED ABDOMEN & PELVIS

0-2 years:

Drink water and/or apple juice only 4 hours prior to examination. No food, milk or carbonated beverages.

2+ years:

From midnight prior to exam, clear fluids only. No food, milk or carbonated beverages. A full bladder is required. Drink two glasses of water and/or apple juice (500 ml) 1 hour prior to exam.

WALK-IN X-RAY

It is recommended that you dress comfortably. Please avoid clothing that has zippers, snaps, buttons and/or beading near the area to be scanned.

FLUOROSCOPY

VOIDING CYSTOURETHROGRAM AND RETROGRADE URETHROGRAM

No preparation. Your child can eat and drink as usual.

NOTE: Children with a bladder (urinary tract) infection must complete antibiotics before the exam.

BARIUM ENEMA

NOTE: You may buy pediatric Fleet Enema and Citro-Mag in drug stores. Follow product instructions.


Single contrast enema for Hirschsprung's disease or chronic constipation:

- No laxatives, suppositories, or rectal exams for 5 days before the exam.
- Parent will be told after exam if the child has to come back the next day for a 24-hour post-enema x-ray

Single contrast enema for everything other than above:

No preparation.

CALGARY



Location

Marlborough

411 Marlborough Way NE, T2A 7E7

Ph: 403.273.9002 | Fax: 403.569.8097

Kid's Imaging | Pain Management | Walk-in X-ray
Ultrasound | GI and GU Studies

DOUBLE CONTRAST BARIUM ENEMA

Newborn - 6 months:

- Check with Radiology Department.

6 months - 1 year:

- Hold last feeding.
- Give pediatric fleet enema first thing in the morning on the day of exam.

1-2 years:

- Clear liquid diet for 12 hours.
- Nothing to eat or drink for 6 hours.
- Give pediatric fleet enema first thing in the morning the day of the exam.

2+ years:

- Clear liquid diet for 48 hours.
- Give Citro-Mag for GoLyteLy at 12 noon on the day before the exam.
- Give another pediatric Fleet Enema first thing in the morning on the day of the exam.

NOTE: Clear liquids include juice, water, pop, soda, Jell-O, Popsicles, bouillon, consommé, clear beef or chicken broth.

Not allowed: milk or dairy products.

ESOPHAGRAM (BARIUM SWALLOW)

No preparation.

UPPER GI, SMALL BOWEL FOLLOW-THROUGH

Newborn - 3 months:

Nothing to eat or drink for 3 hours before the exam.

3 months - 3 years:

Nothing to eat or drink for 6 hours before the exam.

3+ years:

Nothing to eat or drink after midnight before the exam.